

Page 1/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name Servoplan R 300 S

Relevant identified uses of the substance or mixture and

uses advised against none

· Sector of Use SU21 Consumer uses: Private households / general public /

consumers

SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Levelling material

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Kiesel Bauchemie GmbH & Co. KG

Wolf-Hirth-Str. 2

D-73730 Esslingen

Tel.:+49(0)711/93134-0 Fax:+49(0)711/93143-140 E-Mail: sida@kiesel.com Polyflor Australia 101 Prosperity Way,

Dandenong South VIC 3175

Orders & Enquiries T | 1800 777 425

E | technical@polyflor.com.au

· Informing department: Laboratory, departments of environmental protection and labor

protection

· Emergency telephone

number:

Poison Information Center Freiburg Tel.: +49(0)761/19240

(24h German and English)

2 Hazard(s) Identification

· Classification of the substance or mixture



corrosion

Eye Dam. 1 H318 Causes serious eye damage.





Page 2/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 1)

Skin Irrit. 2 H315 Causes skin irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the

Globally Harmonised System (GHS).

· Hazard pictograms

GHS05

· Signal word Danger

· Hazard-determining

components of labelling:

Portland Cement

· Hazard statements

Causes skin irritation.

Causes serious eye damage. Keep out of reach of children.

· Precautionary statements

Wash thoroughly after handling.
Wear eye protection / face protection.
IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixtur of special cements and loading materials

· Dangerous components:		
CAS: 14808-60-7	Quarz (SiO2)	25-<50%
CAS: 65997-16-2	Calcium Aluminate Cement	10-<25%
	Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	-
CAS: 471-34-1	calcium carbonate	2.5-<10%
CAS: 65997-15-1	Portland Cement	2.5-<10%
	 Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335 	

· Additional information

CAS: 14808-60-7 Quarz (SiO2) : The proportion of respirable silica is < 2%.in the raw material (respirable silica has a grain

size of 0-18 μm).

(Contd. on page 3)



Page 3/10

Safety Data Sheet according to WHS Regulations

Revision: 25.05.2023 **Printing date 25.05.2023** Version number 5

Trade name Servoplan R 300 S

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section

4 First Aid Measures

· General information Immediately remove contaminated clothing.

If you feel unwell, seek medical advice.

· After inhalation Do not breathe dust.

Inhalation of dusts causes irritation and swelling of the

respiratory organs.

In case of unconsciousness bring patient into stable side

position for transport.

Seek medical treatment in case of complaints.

· After skin contact Instantly wash with water and soap and rinse thoroughly. · After eye contact Rinse opened eye for several minutes under running water.

Then consult doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

Make patient vomit by him/herself.

The decision whether to provoke vomiting or not is to be

taken by a physician.

Inform doctor. Do not give milk or fatty oils.

rinse out mouth

· Information for doctor

· Most important symptoms and effects, both acute and

delayed

No further relevant information available.

· Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents The product itself does not burn.

CO2, extinguishing powder or water jet. Fight larger fire with

alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable

extinguishing agents

Water with a full water jet.

· Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case

of fire.

· Advice for firefighters

none

· Protective equipment:

Wear non-circulation breathing equipment and chemical-

protective clothing. Do not inhale explosion gases or fire

fumes.



Page 4/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 3)

6 Accidental Release Measures

· Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Avoid causing dust.

Respirator must be worn if exposed to dust.

Wear protective clothing.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Use neutralising agent.

Dispose of contaminated material as waste according to item

13.

Collect mechanically.

· Reference to other sections hardened after contact with water

See Section 7 for information on safe handling

See Section 8 for information on personal protection

equipment.

See Section 13 for information on disposal.

7 Handling and Storage

· Handling

· Precautions for safe handling Thorough dedusting.

Do not leave the container standing open.

Avoid contact with skin and eyes.

Do not breathe dust.

Breathing apparatus only if aerosol or dust is formed.

protected above to humidity

· Information about protection

against explosions and fires: No special measures required.

· Storage

· Requirements to be met by

storerooms and containers: protected above to humidity in closing rooms

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep away from food and drink. Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

(Contd. on page 5)



Page 5/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 4)

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quarz (SiO2)

WES Long-term value: 0.05 mg/m³

respirable dust

CAS: 471-34-1 calcium carbonate

WES Long-term value: 10 mg/m³

inhalable dust

CAS: 65997-15-1 Portland Cement WES Long-term value: 10 mg/m³

inhalable dust

· Additional information: The lists that were valid during the compilation were used as

basis.

· Personal protective equipment

· General protective and

hygienic measures Do not eat or drink while working.

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment: Breathing apparatus only if aerosol or dust is formed.

Rubber gloves

· Protection of hands: Protective gloves.

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

Selection of the glove material on consideration of the

penetration times, rates of diffusion and the degradation

· Material of gloves

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed safety glasses.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· Appearance:

· Form: Powder · Colour: Grey

· Smell: Characteristic
· Odour threshold: Not determined.

· pH-value at 20 °C: 12 (5%)

· Change in condition

· Melting point/freezing point: Not determined · Initial boiling point and boiling range: not apply

(Contd. on page 6)



Page 6/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 5)

· Flash point: Not applicable · Inflammability (solid, gaseous) Not determined.

· Auto-ignition temperature: >200 °C

Decomposition temperature: Not determined.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

· Critical values for explosion:

Lower:

 Upper:
 Steam pressure:
 Density at 20 °C
 Relative density
 Vapour density
 Evaporation rate

 Not determined.

 Not applicable.

 Not applicable.
 Not applicable.

· Solubility in / Miscibility with

Water: is setting hydraulically

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

· dynamic: Not applicable. · kinematic: Not applicable.

· Solvent content:

· Solids content: 100.0 %

· Other information The physical data are average values.

10 Stability and Reactivity

· Reactivity No further relevant information available.

· Possibility of hazardous

reactions No dangerous reactions known

· Conditions to avoid No further relevant information available.

· Incompatible materials: No decomposition if stored and applied as directed.

· Hazardous decomposition

products: none under normal use

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation
Causes skin irritation.
Serious eye damage/irritation
Causes serious eye damage.

· Respiratory or skin

sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 6)

· STOT-repeated exposure · Aspiration hazard

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· Experience with humans:

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known. The product contains cement.In combination with humidity

the product provokes an alcaline reaction.

May cause eye/skin irritation.

· Additional toxicological

information: According to concentration, aqueous solution causes

irritations or burns of eyes, skin and mucous membranes.

12 Ecological Information

· Toxicity

· Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Ecotoxical effects: only by unintentional binding with much material and water is

a highly pH-value possible

· Additional ecological information:

· General notes: Ecological injuries are not known or expected under normal

use.

Water hazard class 1 (Self-assessment): slightly hazardous

for water.

Do not allow undiluted product or large quantities of it to

reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only

low water-dangerous.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation Disposal according to official regulations

(Contd. on page 8)



Page 8/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 7)

· further Notes Mix product residue with water, allow to harden, then dispose

as Construction Waste.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· ADG, ADN, IMDG, IATA	Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Void
· Packing group · ADG, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning transport regulations.
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Invent	tory of Industrial Chemicals
CAS: 65997-16-2	Calcium Aluminate Cement
CAS: 10034-76-1	Calcium sulfate hemihydrate
CAS: 471-34-1	calcium carbonate
CAS: 65997-15-1	Portland Cement
CAS: 1302-78-9	bentonite
CAS: 63800-37-3	Sepiolite
CAS: 497-19-8	sodium carbonate
CAS: 554-13-2	lithium carbonate

(Contd. on page 9)



Page 9/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 8)

CAS: 77-92-9 citric acid

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements The product is classified and labelled according to the

Globally Harmonised System (GHS).

· Hazard pictograms

GHS05

· Signal word Danger

· Hazard-determining

components of labelling: Por Hazard statements Cau

Portland Cement Causes skin irritation.

Causes serious eye damage.

· Precautionary statements

Keep out of reach of children.
Wash thoroughly after handling.
Wear eye protection / face protection.
IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I

None of the ingredients are included

· National regulations

· Information about limitation

of use:

Employment restrictions concerning young persons must be

observed.

Employment restrictions concerning pregnant and lactating

women must be observed.

· Other regulations, limitations and prohibitive regulations

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Chapters which have been revised from the previous issue are marked "*".

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

(Contd. on page 10)



Page 10/10

Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 5 Revision: 25.05.2023

Trade name Servoplan R 300 S

(Contd. of page 9)

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

· Relevant phrases H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Department issuing data specification sheet:

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises

dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Serious eye damage/irritation - Category 2A: Serious eye damage/eye

irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· * Data compared to the previous version altered.

Comment The information is based on our knowledge we do have so far.

However it is not a confirmation of productfeatures and does not establish contractual legal relarionship. Use, operation

and processing are the responsibility of the customer.

AU