

Page 1/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

### 1 Identification

· Product identifier

· Trade name Servofix FG

Relevant identified uses of the substance or mixture and

uses advised against none

· Sector of Use SU21 Consumer uses: Private households / general public /

consumers

SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Self-levelling Compound

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Kiesel Bauchemie GmbH & Co. KG

Wolf-Hirth-Str. 2

D-73730 Esslingen

Tel.:+49(0)711/93134-0 Fax:+49(0)711/93143-140 E-Mail: sida@kiesel.com Polyflor Australia 101 Prosperity Way,

**Dandenong South VIC 3175** 

Orders & Enquiries T | 1800 777 425

E | technical@polyflor.com.au

· Informing department: Laboratory, departments of environmental protection and labor

protection

· Emergency telephone

number:

Poison Information Center Freiburg Tel.: +49(0)761/19240

(24h German and English)

#### 2 Hazard(s) Identification

· Classification of the substance or mixture



corrosion

Eye Dam. 1 H318 Causes serious eye damage.





Page 2/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 1)

Skin Irrit. 2 H315 Causes skin irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the

Globally Harmonised System (GHS).

· Hazard pictograms

**GHS05** 

· Signal word Danger

· Hazard-determining

components of labelling: Portland Cement
· Hazard statements Causes skin irritation.

Causes serious eye damage.

· Precautionary statements Keep out of reach of children.

Wash thoroughly after handling.
Wear eye protection / face protection.
IF ON SKIN: Wash with plenty of water.
Specific treatment (see on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/

regional/national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.· vPvB: Not applicable.

### 3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixtur of special cements and loading materials

· Dangerous components:		
CAS: 471-34-1	calcium carbonate	25-<50%
CAS: 14808-60-7	Quarz (SiO2)	25-<50%
CAS: 65997-16-2	Calcium Aluminate Cement ♦ Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	10-<25%
l	Portland Cement  © Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335	10-<25%

(Contd. on page 3)



Page 3/10

## Safety Data Sheet according to WHS Regulations

Version number 37 Revision: 25.05.2023 **Printing date 25.05.2023** 

Trade name Servofix FG

(Contd. of page 2)

· Additional information See also information on "8 Exposure controls and personal

protective equipment".

CAS: 14808-60-7 Quarz (SiO2): The proportion of respirable silica is < 2%.in the raw material (respirable silica has a grain

size of 0-18 µm).

For the wording of the listed hazard phrases refer to section

*16.* 

#### 4 First Aid Measures

· General information Immediately remove contaminated clothing.

If you feel unwell, seek medical advice.

· After inhalation Do not breathe dust.

Inhalation of dusts causes irritation and swelling of the

respiratory organs.

In case of unconsciousness bring patient into stable side

position for transport.

Seek medical treatment in case of complaints.

· After skin contact Instantly wash with water and soap and rinse thoroughly. · After eye contact

Rinse opened eye for several minutes under running water.

Then consult doctor.

Seek medical treatment. · After swallowing

rinse out mouth

The decision whether to provoke vomiting or not is to be

taken by a physician.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed

No further relevant information available.

· Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

## 5 Fire Fighting Measures

· Suitable extinguishing agents The product itself does not burn.

CO2, extinguishing powder or water jet. Fight larger fire with

alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable

extinguishing agents

Water with a full water jet.

· Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case

· Protective equipment: Wear non-circulation breathing equipment and chemical-

protective clothing. Do not inhale explosion gases or fire

fumes.



Page 4/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 3)

### 6 Accidental Release Measures

· Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Avoid causing dust.

Respirator must be worn if exposed to dust.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Use neutralising agent.

Dispose of contaminated material as waste according to item

13.

Collect mechanically.

· Reference to other sections hardened after contact with water

See Section 7 for information on safe handling

See Section 8 for information on personal protection

equipment.

See Section 13 for information on disposal.

## 7 Handling and Storage

· Handling

· Precautions for safe handling Thorough dedusting.

Do not leave the container standing open.

Avoid contact with skin and eyes.

Do not breathe dust.

Breathing apparatus only if aerosol or dust is formed.

protected above to humidity

· Information about protection

against explosions and fires: No special measures required.

· Storage

· Requirements to be met by

storerooms and containers: protected above to humidity in closing rooms

· Information about storage in

one common storage facility: No incompatible products worthy of special mention.

· Further information about

· Specific end use(s)

storage conditions: Keep away from food and drink. Keep container tightly sealed.

No further relevant information available.

## 8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

(Contd. on page 5)



Page 5/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 4)

· Components with critical values that require monitoring at the workplace:

CAS: 471-34-1 calcium carbonate

WES Long-term value: 10 mg/m³

inhalable dust

CAS: 14808-60-7 Quarz (SiO2)

WES Long-term value: 0.05 mg/m<sup>3</sup>

respirable dust

CAS: 65997-15-1 Portland Cement

WES Long-term value: 10 mg/m<sup>3</sup>

inhalable dust

· Additional information: The lists that were valid during the compilation were used as

basis.

· Personal protective equipment

· General protective and

hygienic measures Do not eat or drink while working.

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment: Breathing apparatus only if aerosol or dust is formed.

12 (5%)

Rubber gloves

· Protection of hands: Protective gloves.

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

Selection of the glove material on consideration of the

penetration times, rates of diffusion and the degradation

· Material of gloves

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed safety glasses.
 Body protection: Long-sleeved work clothes.

## 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· Appearance:

Form: Powder
Colour: Dark grey
Smell: Characteristic
Odour threshold: Not determined.

· pH-value at 20 °C:

· Change in condition

· Melting point/freezing point: Not determined

(Contd. on page 6)



Page 6/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 5)

· Initial boiling point and boiling range: not apply

Flash point: Not applicable
 Inflammability (solid, gaseous) Not determined.

· Auto-ignition temperature: n. a. °C

· Decomposition temperature: Not determined.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

· Critical values for explosion:

Lower:

Upper:
Steam pressure:
Density at 20 °C
Relative density
Vapour density
Evaporation rate
Not determined.
Not applicable.

Not applicable.
Not applicable.

· Solubility in / Miscibility with

· Water: is setting hydraulically

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

· dynamic: Not applicable. · kinematic: Not applicable.

· Solvent content:

· Solids content: 100.0 %

· Other information The physical data are average values.

## 10 Stability and Reactivity

· Reactivity No further relevant information available.

· Possibility of hazardous

reactions No dangerous reactions known

· Conditions to avoid No further relevant information available.

· Incompatible materials: No decomposition if stored and applied as directed.

· Hazardous decomposition

products: none under normal use

### 11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation
Causes skin irritation.
Serious eye damage/irritation
Causes serious eye damage.

· Respiratory or skin

sensitisation
Based on available data, the classification criteria are not met.

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 6)

STOT-single exposure
STOT-repeated exposure
Aspiration hazard
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

The product contains cement.In combination with humidity

the product provokes an alcaline reaction.

May cause eye/skin irritation.

· Additional toxicological

· Experience with humans:

information:

According to concentration, aqueous solution causes irritations or burns of eyes, skin and mucous membranes.

### 12 Ecological Information

· Toxicity

· Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Ecotoxical effects: only by unintentional binding with much material and water is

a highly pH-value possible

· Additional ecological information:

· General notes: Ecological injuries are not known or expected under normal

use.

Water hazard class 1 (Self-assessment): slightly hazardous

for water.

Do not allow undiluted product or large quantities of it to

reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only

low water-dangerous.

· Results of PBT and vPvB assessment

· PBT: Not applicable.· vPvB: Not applicable.

Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods

· Recommendation Disposal according to official regulations

· further Notes Mix product residue with water, allow to harden, then dispose

as Construction Waste.

(Contd. on page 8)



Page 8/10

# Safety Data Sheet according to WHS Regulations

Printing date 25.05.2023 Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 7)

· Uncleaned packagings:

· Recommendation:

· Recommended cleaning

agent:

Disposal must be made according to official regulations.

Water, if necessary with cleaning agent.

## 14 Transport information

14 Transport information	
· UN-Number · ADG, ADN, IMDG, IATA	Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Void
· Packing group · ADG, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	f Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals	
CAS: 471-34-1	calcium carbonate
CAS: 65997-16-2	Calcium Aluminate Cement
CAS: 65997-15-1	Portland Cement
CAS: 10034-76-1	Calcium sulfate hemihydrate
CAS: 10377-48-7	lithium sulfate
CAS: 61790-53-2	diatomaceous earth (uncalcined)
	Hydroxyethylcellulose
CAS: 144-55-8	sodium hydrogencarbonate
	(Contd. on page 9)

(Contd. on page 9)



Page 9/10

## Safety Data Sheet according to WHS Regulations

Version number 37 Revision: 25.05.2023 **Printing date 25.05.2023** 

#### Trade name Servofix FG

	(Contd. of page 8)	
CAS: 554-13-2	lithium carbonate	
CAS: 6132-04-3	Trinatriumcitrat	
CAS: 6381-59-5	Potassium sodium tartrate	
CAS: 7631-86-9	silicon dioxide, chemically prepared	
	Calciumhydroxid	
· Standard for the Uniform Scheduling of Medicines and Poisons		

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

The product is classified and labelled according to the · GHS label elements

Globally Harmonised System (GHS).

· Hazard pictograms

**GHS05** 

· Signal word Danger

· Hazard-determining

components of labelling: · Hazard statements

**Portland Cement** Causes skin irritation.

Causes serious eye damage. Keep out of reach of children.

· Precautionary statements

Wash thoroughly after handling. Wear eye protection / face protection. IF ON SKIN: Wash with plenty of water. Specific treatment (see on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/ regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I

None of the ingredients are included

· National regulations

· Information about limitation

of use:

Employment restrictions concerning young persons must be

observed.

Employment restrictions concerning pregnant and lactating

women must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 10/10

## Safety Data Sheet according to WHS Regulations

**Printing date 25.05.2023** Version number 37 Revision: 25.05.2023

Trade name Servofix FG

(Contd. of page 9)

### 16 Other information

Chapters which have been revised from the previous issue are marked "\*".

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

· Relevant phrases H315 Causes skin irritation.

> H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Department issuing data specification sheet:

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Serious eye damage/irritation – Category 2A: Serious eye damage/eye

irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· \* Data compared to the previous version altered.

· Comment The information is based on our knowledge we do have so far.

However it is not a confirmation of productfeatures and does not establish contractual legal relarionship. Use, operation

and processing are the responsibility of the customer.