



The Laneway collection contains 14 authentic timber designs, hand selected for you by a team of experts in Interior Design. Each plank features knot and grain detailing, incorporating a mix of modern and bold, to traditional and timeless shades. Designed to withstand years of family living, the collection is low maintenance and easy to care for. The Laneway collection of flooring is the perfect choice for a sleek and sophisticated look.





WHITE OAK

1039



plank size: 177.8 x 1219.2mm

White Oak is a stylish option, compatible with a wide range of interior styles. The neutral colour gives the room a sense of space, making it appear bigger.





WHITE OAK





COASTAL DRIFTWOOD

1041



plank size: 177.8 x 1219.2mm

Coastal Driftwood blends the tones of natural coastal elements and unmannered grain of driftwood. One of the most realistic wooden effects, this type of flooring works best with seaside homes.

WEATHERED BIRCH

1099



plank size: **185 x 1505mm**

A different whitewashed alternative,
Weathered Birch combines pale pastels
and subtle earthy tones to create a
clean and cosy atmosphere.









NATURAL OAK

1045



plank size: 177.8 x 1219.2mm

Natural Oak features straight and light brown tones, replicating the elegant aesthetic of straight grains and detailing found in oak wood.

BLONDE ASH

1080





The beautiful tan planks of Blonde Ash have a similar palette to natural oak colours. This shade, however, features more discreet grains and knots that add to the overall character of the flooring for a clean look.









FRENCH WASHED OAK

1098



plank size: 177.8 x 1219.2mm

The uniform knot textures and golden gradients of French Washed Oak mimic intentional lightly conditioned aspects of distressed flooring to provide hints of a sophisticated, neat look.

BARNYARD OAK

1094



plank size: 177.8 x 1219.2mm

Barnyard Oak features long, lightly ingrained scrapes and darker accentuations of brown that encapsulates a handcrafted appearance to the shade's individual planks.





BARNYARD OAK





COUNTRY ELM

1096



plank size: 177.8 x 1219.2mm

Country Elm is ideally suited to most residential interiors, with grey brown tones and rich, textured grain commonly found in stained elm wood.

FARMHOUSE GREY

1053



plank size: 177.8 x 1219.2mm

The darker grey hue of Farmhouse Grey marries the contemporary feel of grey and wire-brushed wooden markings of an oak to provide a unique on-trend colour neutrality to all home interiors.





FARMHOUSE GREY





RIVER OAK

1097



plank size: 177.8 x 1219.2mm

River Oak is characterised by its earthy tones and drifts of a medium brown oak. The rustic decorative elements of River Oak are synonymous with timeless features, all while retaining the modern home look.

SYDNEY SPOTTED GUM

1095



plank size: **185 x 1505mm**

Sydney Spotted Gum offers a real wood feel with striking characteristics, weaving between brown and light brown tones designed to complement the wooden period chattels and furnishing articles around your home.









SAPLE

1042



plank size: 177.8 x 1219.2mm

The reddish pigmentation of Saple is designed to elevate large and minimalistic spaces. Akin to a reclaimed wood, Saple incorporates a warmer colour variation, subtle fractures and a carefully treated weathered look to your decor.

RICH OAK

1054



plank size: 177.8 x 1219.2mm

Rich Oak distances itself from the dilapidated aged look of most weathered flooring. The warmth emerging from the graining and detailing of this vivid oak, offers a feeling of cosiness that is highly sought after by interior designers.





RICH OAK





BUSHFIRE BLACK

1055




plank size: 177.8 x 1219.2mm

Bushfire Black is a sophisticated option for any residential interiors, and can be seamlessly incorporated into any design or style. The textured finish on this plank enhances the graining of Bushfire Black's feel and high-quality detailing.

COLLECTION OVERVIEW

Beautifully engineered to authentically replicate the appearance of natural timber planks, the designs within the Laneway collection may contain knots and markings typical of natural timber. Although we endeavour to ensure the colours depicted within this brochure represent the true colour of each product, we recommend you view an actual sample prior to selection.

R10 All designs achieve R10, which is an ex-factory measure of slip resistance





BUSHFIRE BLACK 1055



plank size: **185 x 1505mm**

SYDNEY SPOTTED GUM 1095

FLOORCARE

We want your Laneway floor to look its best for many years to come and to help with this we have laid out the following floorcare quidelines. Laneway does not harbour dust mites or bacteria, making it ideal for the home environment.

Initial Cleaning after installation

- Avoid walking on the floor for at least 24 hours following completion of installation.
- Sweep or vacuum to prevent loose dirt from scratching the floor.
- Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection.

Day to Day Cleaning

Regularly sweep or vacuum your floor to remove loose dirt, grit or dust. It's important to use clean mops and neutral cleaning solutions when regularly cleaning your floor. Always dilute the floor cleanser to the manufacturer's instructions. Please ensure you mop your floor evenly and collect any excess liquid in a mop bucket.

Do:

- Install barrier mats at entrances to pick up grit and moisture.
 (Please note, some rubber-backed mats may discolour the floor).
- Ensure your furniture is fitted with protective pads, where necessary, to prevent scratches.
- Use protective cups under heavy furniture to prevent indentation.
- Remove spillages as quickly as possible to reduce the risk of staining and causing slip hazards.
- Always use clean equipment when maintaining your floor.
- Regularly trim pets claws as these can cause fine scratches.

Don't:

- Use abrasive liquids or metal scouring pads as these can damage the floor.
- Clean the floor with solvents, caustic detergents washing up liquids, soap powders, bleach, furniture polishes, petroleum-based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage.
- Drag furniture with unprotected feet across the floor.

Regular cleaning is more beneficial to the floor covering and is more cost-effective than occasional heavy cleaning. We highly recommend using the PUREFLOR cleaning system to maintain your Laneway floor.



PUREFLOR sets a new benchmark for Hard and Soft Surface Cleaning performance.

Containing only natural ingredients in a concentrated formulation, the PUREFLOR range is pH Neutral, non-toxic and removes the toughest stains by destroying organic stains, soils and odours at source.



HARD SURFACE CLEANER

A floor cleaner for hard surfaces around the home and office.

Suitable for use on: vinyl flooring, tiles, wooden floors, concrete.



SOFT SURFACE CLEANER

All-natural, multi-enzyme formula designed to attack and loosen tough stains and dirt on carpet and upholstery.

Suitable for use on : carpet, rugs, upholstery, curtains.



Soap Free

Products do not contain any soap, avoiding build-up over time



Powerful & Eco-Positive



Natural Formula

Formulated with plant based enzymes that will not upset the natural bacteria



100% Biodegradable



Accelerated Enzymes

Enzymes accelerate the destruction of organic material



No chemical agents



pH Neutral

Won't damage surfaces



No phosphates



PICTURE IT INSTANTLY

Take the guesswork out of choosing your floor by trying it out today. The Polyflor Visualiser helps bring our products to life and shows how they will transform your room. All you need to do is take a photo of the area you're renovating and let our visualiser do the rest! Visualise Laneway in your space now, visit polyflor.com.au/room-visualiser.



HERE TO HELP

Environment

As a leading global manufacturer of high-quality, high-performance floor coverings, Polyflor has demonstrated a high level of commitment to minimising the impact our products have on the environment and endeavour to meet these requirements with a focus on sustainability and a healthy indoor climate.

Laneway has the prescribed CE mark, as a European declaration of performance and is regularly tested to ensure the exceptional standards are continually met by external third parties including Eurofins, one of Europe's leading service providers in the field of analysis. Through these annual external inspections, Eurofins have awarded Laneway the Indoor Air Comfort Gold rating. This certificate is awarded to products with VOC emissions below any globally determined VOC limits. Laneway is 100% recyclable and contains on average 20% recycled material, which is integrated into new flooring production insofar as possible.

Order Samples

Polyflor provides a complimentary product sample service. Sample your choice of flooring before making your final selection and ensure you find the exact floor covering you desire. To order samples, please visit polyflor.com.au, call our customer service department or speak with your local Polyflor representative.

Visit us Online

Visit polyflor.com.au for detailed product and technical information on all flooring collections within the Polyflor portfolio. Our website provides an easy to follow navigation system to help you find exactly what you are looking for. Free downloads and free product and literature samples are easy to order through the website.

Contact Us

For general information on your specific project, either speak with your local Polyflor representative or contact us directly on 1800 777 425 or sales@polyflor.com.au

Customer Guarantee

All products purchased from the range are guaranteed for 15 years Residential / 10 years Commercial against normal wear and tear in the recommended environment, provided they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing indicating where their flooring was purchased and provide satisfactory proof of purchase. This guarantee only applies in the event of the visible wearing out of the decorative pattern on the surface within the 15 years Residential / 10 years Commercial guarantee period from the time of purchase and providing the flooring has been subject to normal usage in the recommended environment. It does not cover general misuse and we suggest that adequate UV protection be taken against products being installed in direct sunlight as fading may occur. It is the manufacturer's recommendation that felt or Teflon pads are used for protection under chairs and other furniture which will help to prevent scratching and marring of your floor's finish. When moving any heavy objects please place a plywood panel over your vinyl floor. In the event of the manufacturers of Laneway accepting that a claim is valid under this guarantee, they will either repair the flooring or supply replacement flooring free of charge. In the unlikely event of the flooring no longer being in stock, flooring of equivalent quality will be provided.





TECHNICAL

The following table details the technical specification for Laneway.

Should you require any further information, contact Polyflor on 1800 777 425 or email technical@polyflor.com.au

Characteristics	Standards	Laneway
Gauge	ISO 24246 (EN 428)	5.0mm
Wear layer	ISO 24340 (EN 429)	0.55mm
Packaging plank size	ISO 24342 (EN 427)	10 @ 178.8 x 1219.2mm = 2.17m ² 8 @ 185 x 1505mm = 2.23m ²
Surface Treatment		PU
Total weight	ISO 23997 (EN 430)	8,000 g/m²
General performance	ISO 10582 (EN 649)	Heterogeneous, PVC
Performance classification	ISO 10874 (EN 685)	23 / 34 / 43
Slip resistance	AS 4586 App D	R10
Chemical resistance	ISO 26987 (EN 423)	*
Residual indentation	ISO 24343-1 (EN 433)	Pass
Colour fastness to artificial light	EN ISO 105-B02	Level ≥6 (Method A)
Behaviour to fire Australian NCC	AS ISO 9239.1	Exceeds requirements
Abrasion resistance	EN 660-2 EN ISO 10582	T Type I
Castor chair (continuous use)	ISO 4918 (EN 425)	Yes / Type W
Underfloor heating	EN 1264-2	Suitable, max 27°C
Sound reduction	AS ISO 140-8	9 dB
VOC emissions	AGB/AgBB	Below quantifiable levels

^{*} Resistant depending on concentration and time of exposure, in case of increased impact of oils, grease, acids, alkalies and other aggressive chemicals – please contact us.







Please contact your nearest store for more information.

CARPET COURT

STOCK MAY VARY FROM STORE TO STORE.