



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Hazardous according according to Safe Work Australia GHS 7.

1 Identification



- Other means of identification
- Trade name **Servofix F 210**
- Relevant identified uses of the substance or mixture and uses advised against **none**
- Sector of Use **SU21 Consumer uses: Private households / general public / consumers**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture **Knife filler/ Surfacer**
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: **Kiesel Bauchemie GmbH & Co. KG**
Wolf-Hirth-Str. 2

D-73730 Esslingen

Tel.:+49(0)711/93134-0
Fax:+49(0)711/93143-140
E-Mail: sida@kiesel.com
- Informing department: **Laboratory, departments of enviromental protection and labor protection**
- Emergency telephone number: **AUS-Mobile: +61 467467577**

Poison Information Center Freiburg Tel.: +49761/ 19240
(24h German and English)

2 Hazard(s) Identification

- Classification of the substance or mixture
-  **GHS05 corrosion**
Eye damage/irritation – Category 1 H318 Causes serious eye damage.
-  **GHS07**
Skin corrosion/irritation – Category 2 H315 Causes skin irritation.
- Label elements
- GHS label elements **The product is classified and labelled according to the Globally Harmonised System (GHS).**

(Contd. on page 2)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 1)

· Hazard pictograms



GHS05

· Signal word

Danger

· Hazard-determining components of labelling:
· Hazard statements

Portland Cement (10-<25 %)
Causes skin irritation.
Causes serious eye damage.
Keep out of reach of children.
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Portlandcement and additives

· Dangerous components:

CAS: 14808-60-7	Quarz (SiO ₂)	25-<50%
CAS: 471-34-1	calcium carbonate	25-<50%
CAS: 65997-16-2	Calcium Aluminate Cement	10-<25%
	⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319	
CAS: 65997-15-1	Portland Cement	10-<25%
	⚠ Eye damage/irritation – Category 1, H318 ⚠ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H335	

· SVHC

This product does not contain SVHC substances > 0.1%

· Additional information

See also information on "8 Exposure controls and personal protective equipment".

CAS: 14808-60-7 Quarz (SiO₂) : The proportion of respirable silica is < 2%.in the raw material (respirable silica has a grain size of 0-18 µm).

(Contd. on page 3)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- | | |
|---|---|
| · General information | Immediately remove contaminated clothing. If you feel unwell, seek medical advice. |
| · After inhalation | Do not breathe dust. Inhalation of dusts causes irritation and swelling of the respiratory organs. In case of unconsciousness bring patient into stable side position for transport. Seek medical treatment in case of complaints. |
| · After skin contact | Instantly wash with water and soap and rinse thoroughly. |
| · After eye contact | Rinse opened eye for several minutes under running water. Then consult doctor. |
| · After swallowing | Inform doctor. Do not give milk or fatty oils. The decision whether to provoke vomiting or not is to be taken by a physician. rinse out mouth |
| · Information for doctor | |
| · Most important symptoms and effects, both acute and delayed | No further relevant information available. |
| · Indication of any immediate medical attention and special treatment needed | No further relevant information available. |

5 Fire Fighting Measures

- | | |
|--|--|
| · Suitable extinguishing agents | The product itself does not burn. CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam. Use fire fighting measures that suit the environment. |
| · For safety reasons unsuitable extinguishing agents | Water with a full water jet. |
| · Special hazards arising from the substance or mixture | Formation of toxic gases is possible during heating or in case of fire. |
| · Protective equipment: | Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes. |

AU

(Contd. on page 4)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 3)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:** *No special measures required.*
- **Methods and material for containment and cleaning up:** *Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Collect mechanically.*
- **Reference to other sections** *hardened after contact with water
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

7 Handling and Storage

- **Handling**
- **Precautions for safe handling** *Thorough dedusting.
Do not leave the container standing open.
Avoid contact with skin and eyes.
Do not breathe dust.
Breathing apparatus only if aerosol or dust is formed.
protected above to humidity*
- **Information about protection against explosions and fires:** *No special measures required.*
- **Storage**
- **Requirements to be met by storerooms and containers:** *protected above to humidity in closing rooms*
- **Information about storage in one common storage facility:** *Store away from foodstuffs.*
- **Further information about storage conditions:** *Protect from humidity and keep away from water.
Keep container tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls and personal protection

- **Appropriate engineering controls** *No further data; see section 7.*

(Contd. on page 5)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 4)

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quarz (SiO₂)

WES Long-term value: 0.05 mg/m³
respirable dust

CAS: 471-34-1 calcium carbonate

WES Long-term value: 10 mg/m³
inhalable dust

CAS: 65997-15-1 Portland Cement

WES Long-term value: 10 mg/m³
inhalable dust

· Additional information: The lists that were valid during the compilation were used as basis.

· Personal protective equipment
· General protective and hygienic measures

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

· Breathing equipment:

Suitable respiratory protection for low concentrations or short-term exposure: Particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles)).
Breathing apparatus only if aerosol or dust is formed.

· Protection of hands:

Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Rubber gloves

· Material of gloves
· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:
· Body protection:

Tightly sealed safety glasses.
Long-sleeved work clothes.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· Appearance:

· Form: Powder

· Colour: Grey

· Smell: Characteristic

· Odour threshold: Not determined.

· pH-value at 20 °C: 12 (5%)

(Contd. on page 6)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 5)

- **Change in condition**
- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** not apply
- **Flash point:** Not applicable
- **Inflammability (solid, gaseous)** Not determined.
- **Decomposition temperature:** Not determined.
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Critical values for explosion:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Steam pressure:** Not applicable.
- **Density at 20 °C** 1.3 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with**
- **Water:** is setting hydraulically
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
- **dynamic:** Not applicable.
- **kinematic:** Not applicable.
- **Solvent content:**
- **Solids content:** 100.0 %
- **Other information**
- **Particle characteristics** Not determined.
- **Physical state** Solid.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.

(Contd. on page 7)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 6)

- **Respiratory or skin sensitisation**
- **Germ cell mutagenicity**
- **Carcinogenicity**
- **Reproductive toxicity**
- **STOT-single exposure**
- **STOT-repeated exposure**
- **Aspiration hazard**
- **Additional toxicological information:**

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

According to concentration, aqueous solution causes irritations or burns of eyes, skin and mucous membranes.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Ecotoxicological effects:** *only by unintentional binding with much material and water is a highly pH-value possible*
- **Additional ecological information:**
- **General notes:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** *Disposal according to official regulations*
- **further Notes** *Mix product residue with water, allow to harden, then dispose as Construction Waste.*

(Contd. on page 8)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

14 Transport information

· UN-Number · ADG, ADN, IMDG, IATA	Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
· Transport hazard class(es) · ADG, ADN, IMDG, IATA · Class	Void
· Packing group · ADG, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

CAS: 471-34-1	calcium carbonate
CAS: 65997-16-2	Calcium Aluminate Cement
CAS: 65997-15-1	Portland Cement
CAS: 10034-76-1	Calcium sulfate hemihydrate
CAS: 144-55-8	sodium hydrogencarbonate
CAS: 554-13-2	lithium carbonate

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

(Contd. on page 9)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 8)

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word**

Danger

· **Hazard-determining components of labelling:**
· **Hazard statements**

Portland Cement (10-<25 %)

Causes skin irritation.

Causes serious eye damage.

· **Precautionary statements**

Keep out of reach of children.

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I**

None of the ingredients are included

· **National regulations**

· **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

· **Relevant phrases**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 10)



Safety Data Sheet
according to WHS Regulations

Date of issue: 12.06.2025

Version number 23

Revision: 20.01.2025

Trade name Servofix F 210

(Contd. of page 9)

· **Department issuing data specification sheet:**

· **Abbreviations and acronyms:** *ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

· **Comment**

The information is based on our knowledge we do have so far. However it is not a confirmation of product features and does not establish contractual legal relationship. Use, operation and processing are the responsibility of the customer.

AU