



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name **Okatmos star 200- L**

· UFI: **1QU1-90KU-Y00J-CTPN**

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

none

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC1 Adhesives, sealants

· Application of the substance / the mixture

Coat adhesive

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: **Kiesel Bauchemie GmbH & Co. KG
Wolf-Hirth-Str. 2**

D-73730 Esslingen

Tel.: +49(0)711/93134-0

Fax: +49(0)711/93143-140

E-Mail: sida@kiesel.com

· Informing department:

Laboratory, departments of environmental protection and labor protection

· 1.4 Emergency telephone number:

**Poison Information Center Freiburg Tel.: +49(0)761/ 19240
(24h German and English)**

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word

Warning

(Contd. on page 2)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 1)

- Hazard-determining components of labelling: Quartz (SiO₂)
2-methyl-2H-isothiazol-3-one
1,2-Benzisothiazol-3(2H)-on
- Hazard statements H317 May cause an allergic skin reaction.
- Precautionary statements P102 Keep out of reach of children.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Dispersionsklebstoff

· Dangerous components:

CAS: 14808-60-7	Quartz (SiO ₂) Consisting of: 14808-60-7 Quarz (>98%); 14808-60-7 Quartz (fine fraction) (1-10%) STOT RE 2, H373	10-<25%
CAS: 25322-69-4	polypropylene glycol Acute Tox. 4, H302	0.5-<2.5%

(Contd. on page 3)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 2)

CAS: 2634-33-5	<p>1,2-Benzisothiazol-3(2H)-on</p> <p>☠ Acute Tox. 2, H330 👁 Eye Dam. 1, H318 🐟 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 %</p>	≥ 0.005 - ≤ 0.01%
CAS: 2682-20-4	<p>2-methyl-2H-isothiazol-3-one</p> <p>☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 👁 Skin Corr. 1B, H314; Eye Dam. 1, H318 🐟 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) ⚠ Skin Sens. 1A, H317 EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %</p>	≥ 0.0015 - < 0.025%
CAS: 55965-84-9	<p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</p> <p>☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 👁 Skin Corr. 1C, H314; Eye Dam. 1, H318 🐟 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) ⚠ Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %</p>	≥ 0.00025 - < 0.0015%

· SVHC

· Additional information

This product does not contain SVHC substances > 0.1%
CAS: 14808-60-7 Quarz : This substance is firmly incorporated into the matrix in this product and therefore does not contribute to the labelling.
For the wording of the listed hazard phrases refer to section 16.

EU

(Contd. on page 4)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **General information** *Immediately remove contaminated clothing. If you feel unwell, seek medical advice.*
- **After inhalation** *Provide plenty of fresh air. In case of unconsciousness bring patient into stable side position for transport. Seek medical treatment in case of complaints.*
- **After skin contact** *The product is not skin irritating. Instantly wash with water and soap and rinse thoroughly.*
- **After eye contact** *Rinse opened eye for several minutes under running water.*
- **After swallowing** *Rinse out mouth, do not induce vomiting, seek medical help immediately. Do not administer home remedies (milk, alcohol, oil, etc.). Show the package or label to the doctor in charge.*

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- **Suitable extinguishing agents** *CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam. Use fire fighting measures that suit the environment.*

· For safety reasons unsuitable extinguishing agents

Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires. No further relevant information available.

· 5.3 Advice for firefighters

· **Protective equipment:**

Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

(Contd. on page 5)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 4)

- **6.2 Environmental precautions:** *Dilute with much water.*
- **6.3 Methods and material for containment and cleaning up:** *Take-up with liquid binding material (sand, diatomaceous earth, acid binding agent, universal binding agent). Dispose of contaminated material as waste according to item 13.*
- **6.4 Reference to other sections** *No dangerous materials are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.*

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- **Information about protection against explosions and fires:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** *Protect against frost.*
- **Information about storage in one common storage facility:** *Store away from foodstuffs.*
- **Further information about storage conditions:** *Store in a cool place.*
- **Storage class** *10*
- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**

· **PNECs**

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Freshwater	0.000049 mg/l (-)
Salt water	0.0000098 mg/l (-)
Ground	0.000009 mg/kg (-)

(Contd. on page 6)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 5)

- **Additional information:** *The lists that were valid during the compilation were used as basis.*
- **8.2 Exposure controls**
- **Appropriate engineering controls** *No further data; see section 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** *Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.*
- **Breathing equipment:** *Suitable respiratory protection for low concentrations or short-term exposure: Particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles)). In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.*
- **Hand protection** *Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
Rubber gloves
- **Material of gloves**
- **Penetration time of glove material** *The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye/face protection** *Safety glasses recommended during refilling.*

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **Physical state** *Liquid*
- **Colour:** *Beige*
- **Smell:** *Recognisable*
- **Odour threshold:** *Not determined.*
- **Melting point/freezing point:** *Not determined*
- **Boiling point or initial boiling point and boiling range** *100 °C*
- **Flammability** *Not applicable.*
- **Lower and upper explosion limit**
- **Lower:** *Not determined.*
- **Upper:** *Not determined.*
- **Flash point:** *>200 °C*
- **Decomposition temperature:** *Not determined.*
- **pH at 20 °C** *8-10*
- **Viscosity:**
- **Kinematic viscosity** *Not determined.*
- **dynamic at 20 °C:** *3,000-4,500 mPas*

(Contd. on page 7)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 6)

· Solubility	
· Water:	<i>Fully miscible</i>
· Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
· Steam pressure at 20 °C:	<i>23 hPa</i>
· Density and/or relative density	
· Density at 20 °C	<i>1.3 g/cm³</i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not determined.</i>

· 9.2 Other information	<i>The physical data are average values.</i>
· Appearance:	
· Form:	<i>Pasty</i>
· Self-inflammability:	<i>Product is not selfigniting.</i>
· Explosive properties:	<i>Product is not explosive.</i>
· Solvent content:	
· Organic solvents:	<i>0.9 %</i>
· Solids content:	<i>64.4-<65 %</i>
· Volatile Organic Compounds	<i>13.2 g/l</i> <i>0.90 %</i>
· Change in condition	
· Evaporation rate	<i>Not determined.</i>

· Information with regard to physical hazard classes	
· Explosives	<i>Void</i>
· Flammable gases	<i>Void</i>
· Aerosols	<i>Void</i>
· Oxidising gases	<i>Void</i>
· Gases under pressure	<i>Void</i>
· Flammable liquids	<i>Void</i>
· Flammable solids	<i>Void</i>
· Self-reactive substances and mixtures	<i>Void</i>
· Pyrophoric liquids	<i>Void</i>
· Pyrophoric solids	<i>Void</i>
· Self-heating substances and mixtures	<i>Void</i>
· Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
· Oxidising liquids	<i>Void</i>
· Oxidising solids	<i>Void</i>
· Organic peroxides	<i>Void</i>
· Corrosive to metals	<i>Void</i>
· Desensitised explosives	<i>Void</i>

SECTION 10: Stability and reactivity

· 10.1 Reactivity	<i>No further relevant information available.</i>
· 10.3 Possibility of hazardous reactions	<i>No dangerous reactions known</i>

(Contd. on page 8)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 7)

- 10.4 Conditions to avoid **No further relevant information available.**
- 10.5 Incompatible materials: **No further relevant information available.**
- 10.6 Hazardous decomposition products: **None known.**

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity **Based on available data, the classification criteria are not met.**

- LD/LC50 values that are relevant for classification:

CAS: 25322-69-4 polypropylene glycol

Oral	LD50	300-2,101 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>100 mg/l (fish)

CAS: 2634-33-5 1,2-Benzisothiazol-3(2H)-on

Oral	LD50	450 mg/kg (ATE) 1,020 mg/kg (Rat)
Inhalative	LC50/4 h	0.21 mg/l (ATE)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	50 mg/kg (Rat)
Inhalative	LC50/4 h	0.025 mg/l (Rat)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	64 mg/kg (Rat)
Dermal	LD50	87.12 mg/kg (Rabbit)
Inhalative	LC50/4 h	0.33 mg/l (Rat)

- Primary irritant effect:
- Skin corrosion/irritation **Based on available data, the classification criteria are not met.**
- Serious eye damage/irritation **Based on available data, the classification criteria are not met.**
- Respiratory or skin sensitisation **May cause an allergic skin reaction.**
- Germ cell mutagenicity **Based on available data, the classification criteria are not met.**
- Carcinogenicity **Based on available data, the classification criteria are not met.**
- Reproductive toxicity **Based on available data, the classification criteria are not met.**
- STOT-single exposure **Based on available data, the classification criteria are not met.**
- STOT-repeated exposure **Based on available data, the classification criteria are not met.**
- Aspiration hazard **Based on available data, the classification criteria are not met.**
- 11.2 Information on other hazards

- Endocrine disrupting properties

None of the ingredients is listed.

EU

(Contd. on page 9)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 8)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Endocrine disrupting properties** *The product does not contain substances with endocrine disrupting properties.*
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** *Disposal according to official regulations*
- **European waste catalogue**
- **08 04 10** *waste adhesives and sealants other than those mentioned in 08 04 09*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** *Void*
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** *Void*
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** *Void*

(Contd. on page 10)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 9)

· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU
· Named dangerous substances - ANNEX I
· REGULATION (EC) No 1907/2006 ANNEX XVII

None of the ingredients are included

Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations

· Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 11)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.10.2025

Version number 11 (replaces version 10)

Revision: 08.10.2025

Trade name Okatmos star 200- L

(Contd. of page 10)

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Chapters which have been revised from the previous issue are marked "***".

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Date of previous version: 15.11.2021

· Version number of previous version: 10

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· * Data compared to the previous version altered.

· Comment

The information is based on our knowledge we do have so far. However it is not a confirmation of product features and does not establish contractual legal relationship. Use, operation and processing are the responsibility of the customer.