


Studioflor Specs

PRODUCT SPECIFICATION

KEY FEATURES

- PUR surface treatment.
- Ultra hard, clear surface coating.
- High definition photographic layer.
- Stability layer.
- Heavy traffic areas & residential.



PRODUCT FORMAT	Standard	Result
Gauge	ISO 24346 (EN 428)	2.0mm
Wear Layer	ISO 24340 (EN 429)	0.2mm
Total Weight	ISO 23997 (EN 430)	3680g/m ²
Finish		PUR

PLANK SIZE	Size	Shades	Quantity per Box	Coverage per Box/Roll
Plank	152mm x 1219mm	5		3.34m ²
	184mm x 1219mm	3		3.37m ²
	102 x 914mm	2		3.34m ²

PERFORMANCE REQUIREMENTS	Standard	Result
General Performance	ISO 10582 (EN 649)	Conforms
Use Area	ISO 10874 (EN 685)	22
Slip Resistance	EN 13893 AS 4586 Appendix D	Class DS R10
For safety flooring with sustainable wet slip resistance, refer to Expona Control or the Polysafe ranges.		
Binder Content	ISO 10582	Type I
Reaction to Fire	AS ISO 9239.1	≥ 8kW/m ²
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'
Residual Indentation	ISO 24343-1 (EN 433)	<0.1mm
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable
Dimensional Stability	ISO 23999 (EN 434)	≤0.1% max
Underfloor Heating		Suitable, max 27°C
Light Fastness	ISO 105-B02 (Method 3)	≥6

SUSTAINABILITY	Standard	Result
BRE Green Guide		A+ ENP 429
Generic EN 15804 EPD		Available
Recyclable		100%
Recycled Content		Up to 40%
Indoor Air Comfort Gold		Eurofins certified product
FloorScore		Certified
Finnish M1 Classification		Pass
AgBB/ABG		Very low emissions
Responsible Sourcing	BES 6001	Good

MAINTENANCE PERFORMANCE	Standard	Result
Resistance to Chemicals	ISO 26987 (EN 423)	Resistant depending on concentration and time of exposure. In case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals, please contact us.
Regular light maintenance is more cost-effective than periodic heavy maintenance and more beneficial to the floor covering.		



Studioflor Shades

RANGE SHADES

10 Shades

Plank Size : 152 x 1219mm



4351 COASTAL SPOTTED GUM



4352 HEARTWOOD SPOTTED GUM



4493 CLASSIC OAK




4494 LIGHT ELM



4496 AMBER CLASSIC OAK

Plank Size : 184 x 1219mm



4455 ASH




4459 CHESNUT



4467 CORNISH BLOND OAK

Plank Size : 102 x 914mm



4483 OAK CLASSIC



4484 OAK LIGHT

R10 All designs achieve R10, which is an ex-factory measure of slip resistance